

30 June 2021

To: Recipients of VET01S, 5th ed.  
 From: Jennifer K. Adams, MT(ASCP), MSHA  
 Vice President, Standards and Quality  
 Subject: Correction

This notice is intended to inform users of a correction made to CLSI document VET01S, *Performance Standards for Antimicrobial Disk and Dilution Susceptibility Tests for Bacteria Isolated From Animals*, 5th ed. The correction is described below and shown as highlighted and/or stricken text in the table excerpt.

**Appendix D. Dosage Regimens Used to Establish Susceptible Veterinary-Specific Breakpoints:**

The Table 2G, *Mannheimia haemolytica* penicillin G dosage regimen for cattle is listed incorrectly as “33 000 U/kg IM by needle in neck every 24 hours.” The dosage regimen for cattle has been corrected to read “22 000 U/kg IM by needle in neck every 24 hours.”

**Appendix D. Dosage Regimens Used to Establish Susceptible Veterinary-Specific Breakpoints**

| Antimicrobial Agent                            | Breakpoints and Interpretive Categories |           |                                                                   |                 |
|------------------------------------------------|-----------------------------------------|-----------|-------------------------------------------------------------------|-----------------|
|                                                | Susceptible                             |           |                                                                   | Comments        |
|                                                | MIC                                     | Body Site | Dosage Regimen                                                    |                 |
| <b>Table 2G. <i>Mannheimia haemolytica</i></b> |                                         |           |                                                                   |                 |
| <b>Cattle</b>                                  |                                         |           |                                                                   |                 |
| Penicillin G                                   | ≤0.25                                   | Resp      | <del>33 000</del> 22 000 U/kg IM by needle in neck every 24 hours | See footnote a. |

If you require any additional clarification regarding these corrections, please contact CLSI Customer Service ([customerservice@clsi.org](mailto:customerservice@clsi.org)).

We appreciate your commitment to CLSI and regret any inconvenience.